

GLUTEOPLASTY (Buttock augmentation)

Buttock augmentation has become more and more popular over the years.

If you consider having this surgery, you need to know a few things about it.

1) What happens during the initial consultation?

- You will meet your surgeon and will tell him exactly what you want, why you want it and for how long.
- You will be asked to give information about your previous operations (cosmetic and non cosmetic), your health condition, your current medications, your allergies to medications, if you are a smoker or not..
- Your surgeon will examine you, and will take some measurements.
- Then, the whole operation will be explained to you in details, including:

- the type of anesthesia (general)

- the different surgical options (fat transfer or implants)

If you want to go ahead with implants:

- the incisions (length (5 cms), location (on the midline), and outcome)

- the type of implants used (cohesive gel of silicone/ 2 different shapes(round, and ovale) /2 different surfaces of the shell (textured or smooth), /different sizes, different projections)

- the type of pockets (intramuscular or, submuscular, or subfascial)

- the surgical options combined to the implants (liposuction / lipostructure or fat transfer/ subgluteal uplift)

- the drains

- the type of sutures used, the type of dressing

As you are usually going to stay 3 days in the hospital, your drains will be removed before being discharged, and your big dressing change for a smaller one. Then, you are supposed to use a sport underwear (bicycle type) and to keep it on for 3 weeks, day and night

| Docteur Gary Horn

2) What happens when you decide to go ahead with your surgery?

You call the office ;we book the hospital for you.

you will have to do a blood test(usually in a private lab),mostly to check your red and white cells and your coagulation.

Before the operation, you are not supposed to take aspirin or similar tablets.It is recommended to stop contraceptive pill before the surgery.

You will have to stop eating, drinking and smoking 6 hours before the operation.

You will see your surgeon before going to theater and have time to ask him any question you forgot to ask before.He will ask you to sign a consent form,where all the possible risks are mentioned.He will then do some markings on your skin and take some before photographs (they will stay in your file and are totally confidential)

-Then, you will meet the anesthetist and you will be taken to theater.

Your operation takes about 2hours. You will spend half an hour in recovery, before being taken back to your room.

In your bed , you will be actually seated, with pillows under the back of your thighs.The nurse will help you ,at the beginning, to stand up and to go the bathroom

You will be discharged on the third day before 12 noon

3) How do we decide the size of my implants,?

The surgeon will take in consideration your current size, your wish , your measurements and the quality of your skin.You can try different implants sizes in the consultation room, but this will only give you a rough idea.

| Docteur Gary Horn

There is obviously a limit to what can be done , if you want your buttocks to look natural ,and not sag in a short period of time

4)What happens after the surgery?

-Back home you are supposed to take it easy: no sport, no heavy lifting for 6 weeks. You will ,probably, be in pain, for a couple of weeks and will need to take pain killers.

-You cannot shower this area for 2-3 weeks, but you need to keep it very clean. . Sitting down (even partially) is recommended on day 1, even for a short period of time .

-Time off work :2-3 weeks

-No sport for :4 weeks

-No shower on the wound for 2 weeks

-You are supposed to come back to the clinic after 2 weeks for the first wound check (but you can contact the office anytime in between), After this first post operative consultation, you will see your surgeon,one month ,3 months and 6 months after the surgery. Then, it will only be once a year

Your stitches will be trimmed after 2 weeks.

The initial swelling will disappear within 3 weeks, which is the time you need ,before seeing how big you are going to be

5)What are the risks of this operation?

Apart from the usual side effects (pain(2 weeks), discomfort (3 weeks) swelling,numbness), there are some potential risks ,which are still very rare:

-bleeding: This is quite rare but,if it happens, you will have to go back to surgery to have it stopped.This is why it is so important to stop smoking before the surgery

| Docteur Gary Horn

-bruising

-infection (this is why you have the antibiotics)

-asymmetry

-displacement of the implan(s):can happen if you do not take it easy ,long enough, after the surgery

-seroma:or collection of lymphatic fluid that needs to be aspirated

-wound opening:generally happens when the seroma tends to get out.This is extremely rare, since , a double incision on the midline instead of a single one is used ,and also,since smooth surfaced implants are used instead of textured ones

-capsule contracture: rare condition, when the buttocks get hard (due to the building of inside scar tissue)

-life expectancy of implants :about 15 years

Again all these risks of complications are rare, but remember that surgery is not an exact science and there is no magic in surgery.

Would you have more questions, do not hesitate to ask your surgeon,who will be always pleased to see you again during a second consultation